

DIS[INJECT

CAPTURE EQUIPMENT



injection



surgery



orthopedics



hospitalization



capture



protection



hygiene



livestock



grooming

génia
the veterinarian's preference.

■ DISTINJECT POLE

Professional quality, quick-release aluminium capture pole.


- Ideal for intensive use or for very large dogs.
- Lightweight and durable.
- 2 non-slip grip handles. **A**
- 22 mm diameter reinforced aluminium tube.
- 6 mm 7-strand stainless steel cable; very strong, with plastic sheath.
- Two cable release systems:
 - ball handle for lock and instantaneous cable release system, **B**
 - instantaneous release ring. **C**
- Fixed head for hanging the cable. **D**



Closed head mechanism



Opened head mechanism



Code	Model	Weight	Length
192400	Capture pole quick lock and release	1.06 kg	70 cm
192402	Capture pole quick lock and release	1.22 kg	100 cm
192404	Capture pole quick lock and release	1.34 kg	120 cm
192406	Capture pole quick lock and release	1.57 kg	150 cm
192408	Capture pole quick lock and release	2.00 kg	200 cm

PROFESSIONAL
QUALITY

■ ROTATABLE HEAD POLE

Pole with a rotatable head, professional quality, for capturing dogs of all sizes.

- 2 non-slip grip handles. **A**
- 22 mm diameter reinforced aluminium tube with protective sheath. **C**
- 6 mm 7-strand stainless steel cable; very strong, with plastic sheath.
- Ball handle for lock and instantaneous cable release system. **B**
- Anti-strangulation rotatable head. **D**



PROFESSIONAL
QUALITY

Code	Model	Weight	Size
221430	Rotatable head pole, reinforced tube	0.96 kg	120 cm
221432	Rotatable head pole, reinforced tube	1.125 kg	150 cm



TELESCOPIC POLE

Professional quality telescopic pole with rotatable head for capturing dogs of all sizes.

- Locking ring. **E**
- Identical to rotatable head pole, with an extension capacity from 120 to 180 cm.




Code	Model	Weight	Length
221434	Telescopic pole	1,260 kg	120-180 cm

REINFORCED POLE

Professional quality, reinforced pole for capturing dogs of all sizes.

- 2 grip handles. **A**
- 32 mm diameter reinforced aluminium tube.
- 7 mm stainless steel cable, very strong.
- Sliding handle for easy handling of the pole. **B**
- Two cable release systems:
 - ball handle for lock and instantaneous cable release system. **C**
 - instantaneous release ring. **D**



Code	Model	Weight	Length
192409	Reinforced pole	2,28 kg	150 cm
192422	Pole only	-	150 cm
192424	Sliding handle only	-	-



■ REINFORCED CAPTURE TONGS FOR CATS

Reinforced capture tongs for feral and/or very aggressive cats.

- Moulded and polished aluminium handle and tongs.
- Very strong.
- Lightweight.
- Ergonomic handle.
- 18 mm diameter aluminium tube.

2 YEARS WARRANTY

Warranty is subject to proper use of the equipment. No damage should suggest an improper use of the material.

The warranty will only be applied upon receipt of the equipment and analysis of any malfunctions or damage found.



PROFESSIONAL QUALITY | VERY STRONG

Code	Model	Weight	Length
192440	Reinforced capture tongs for cats	708 g	90 cm
192442	capture tongs for cats	445 g	85 cm
192443	Reinforced capture tongs for cats	900 g	180 cm

■ CAPTURE TONGS FOR CATS

Capture tongs for cats.

- Moulded plastic handle and tongs.
- Handle equipped with an unlock button.
- Swivel head and handle.
- 24 mm diameter aluminium tube.



Code	Model	Weight	Length
192442	Capture tongs for cats	445 g	85 cm



■ CAPTURE LANDING NET

Capture landing net for small animals (reptiles).

- Rubber retention handle. **A**
- Open/close with a cable. **B**
- Fine mesh to reduce risk of injury.
- The net can wrap around the handle to prevent escape.
- Strong.
- 20 mm diameter aluminium tube.



Code	Model	Weight	Length	Net dimensions (W x L x D)
192472	Capture landing net	920 g	140 cm	19 x 40 x 50 cm

■ ADJUSTABLE CAPTURE LANDING NET

Adjustable stainless steel landing nets for catching small animals (cats, birds, etc.).

- 2 rubber grip handles.
- Open/close by sliding. **A**
- Fine mesh to reduce risk of injury.
- Strong nylon net.
- 20 mm diameter stainless tube.



■ FIXED CAPTURE LANDING NET

Fixed capture landing net for small animals (reptiles).

- Polyethylene net, knotted square mesh.
- Aluminium tube.



Code	Model	Weight	Length	Net dimensions (W x L x P)
192471	Fixed landing net	1.5 kg	150 cm	50 x 120 x 67 cm


Code	Model	Weight	Length	Net dimensions (W x L x D)
192480	Adjustable capture landing net	2.2 kg	150 cm	42 x 76 x 71 cm
192504	Replacement cable for landing net	-	-	-
192506	Replacement net for landing net	-	-	-



WALKING CAPTURE NET FOR 2 USERS

Walking capture net for 2 users.

- Aluminium side frames for easy handling.
- Knotted 45 mm square meshes.
- 1.6 mm braided polyamide string.




SPECIFIC LENGTH: |
ON REQUEST |

Code	Model	Dimensions
192500	2-users walking net	4.6 m x 1.5 m

THROW NET WITH WEIGHTED EDGE

Throw net with weighted edge.

- Weighted rope edge to keep the animal on the ground.
- Knotted 45 mm square meshes.
- 1.6 mm braided polyamide string.




Code	Model	Dimensions
192502	Throw net with weighted edge	2.4 m x 2.4 m

RETRIEVAL NETS

Nets for wildlife retrieval (stags, roe deer, etc.).

- Nylon braided nets with rope braided edge.

Code	Model	Dimensions	Mesh diameter
192510	Recovery net for stags	50 m x 2 m	4 mm
192512	Recovery net for stags	50 m x 3 m	4 mm
192514	Recovery net for roe	50 m x 2 m	3 mm
192516	Recovery net for wild boars	50 m x 2 m	4.75 mm




SPECIFIC CAPTURE NET: |
ON REQUEST |


CO₂ NET LAUNCHER FOR DOGS

Portable CO₂ net launcher to catch dogs.

- Large nylon net, designed for catching small animals.
- Easy to carry.
- Range: 4 m.
- Projection time: 3-4 seconds.
- Pressure gauge - 60 bar maximum.
- Weight: 8 kg.
- Set contains:
 - A steel net launcher housing with epoxy paint coating,
 - A plastic **A** net housing (dimensions: 53 x 32 x 38 cm),
 - A capture net for dogs (dimensions: 6 x 4 x 1 m, see diagram),
 - 2 aluminium rockets with plastic heads,
 - 1 box of 10 capsules, 16 g of CO₂.



Overview of the dog capture net




Code	Model
192518	CO ₂ net launcher for dog capture.
192520	Replacement housing with dog net and 2 rockets A
192348	16 g CO ₂ capsules (x10)


CO₂ NET LAUNCHER FOR BIRDS

Portable CO₂ net launcher, to catch birds.

- Large net, designed especially for catching birds.
- Easy to carry.
- Range: 7 m.
- Projection time: 3-4 seconds.
- Weight: 8 kg.
- Set contains:
 - A steel epoxy paint coated net launcher housing,
 - A plastic **A** net housing (dimensions: 53 x 32 x 38 cm),
 - A capture net for birds (dimensions: 7 x 7 x 1 m, see diagram),
 - 2 aluminium rockets with plastic heads,
 - 1 box of 10 capsules, 16 g of CO₂.



Overview of the bird capture net



Code	Model
192582	CO ₂ net launcher for bird capture
192586	Replacement housing with bird net and 2 rockets A
192348	16 g CO ₂ capsules (x10)


SPRING-LOADED, 5-ROCKET NET LAUNCHER FOR BIRDS

Spring-loaded net launcher for catching birds (pigeons etc.).

- Requires 2 users.
- Use in a large open space given the size of the net.



Overview of the bird net launcher




Code	Model	Weight	Dimensions
192580	Spring-loaded net launcher with 5-rockets for bird capture	38 kg	33/50 x 50 x 82 cm
192578	Replacement net for spring-loaded, 5-rocket net launcher		

■ SINGLE DOOR CAT TRAP

Metal cat trap with single door.

- Door closes under the pressure of the animal's weight on the tray.
- Steel trap door. **A**
- Removable sliding door to position the trap and retrieve the animal. **B**
- Fully mechanised system.
- Strong and lightweight.
- Carrying handle.
- Mesh: 2.5 x 2.5 cm.
- 2.5 mm diameter steel wire coated with lacquer paint.



Code	Model	Weight	Dimensions
192550	Single door cat trap	3.8 kg	77 x 25 x 25 cm

■ DOUBLE DOOR CAT TRAP

Metal cat trap with double door.

- Door closes under the pressure of the animal's weight on the tray.
- Guillotine doors.
- Fully mechanised system.
- Very strong.
- The double door system allows the cat to see a potential exit, thereby encouraging it to enter the trap.
- Carrying handle.
- Mesh: 2.5 x 2.5 cm.
- 2.5 mm diameter steel wire coated with lacquer paint.



Code	Model	Weight	Dimensions
192552	Double door cat trap	10.3 kg	105 x 31 x 31 cm

■ REINFORCED CAT TRAP

Reinforced metal cat trap with single entrance.

- Door closes under the pressure of the animal's weight on the tray.
- Plexiglas guillotine door. **A**
- Fully mechanised system.
- Very strong.
- Carrying handle.
- Sheet metal back with epoxy paint coating.
- Mesh: 2.5 x 7.5 cm.
- 2.3 mm diameter steel wire coated with epoxy paint.
- Trap mechanism rod made of stainless steel.



Code	Model	Weight	Dimensions
192554	Reinforced metal trap	7.3 kg	76 x 28 x 32 cm

■ FOLDING CAT TRAP

Folding stainless steel cat trap with single entrance.

- Door closes under the pressure of the animal's weight on the tray.
- Galvanised steel trap door. **A**
- Plexiglas sliding access door to place the bait on the tray or to extract the trapped animal. **B**
- Fully mechanised system.
- Strong.
- Carrying handle.
- Mesh: 2.5 x 5 cm.
- Aluminium trap bottom.
- 2 mm diameter steel wire with epoxy paint coating.
- Mechanism cable with protective sheath.



Code	Model	Weight	Dimensions
192556	Folding cat trap	5.5 kg	77 x 28 x 33 cm (8 cm folds)

■ FOLDING DOG TRAP

Reinforced folding metal dog trap, with single door.

- Door closes under the pressure of the animal's weight on the tray.
- Aluminium trap door with locking rings. **A**
- Galvanised steel guillotine door. **B**
- Slot for inserting a pole to capture the animal. **C**
- Fully mechanised system.
- Strong.
- Carrying handle.
- Painted steel trap mesh.
- Trap mechanism rod made of painted steel.
- Aluminium trap door frame.
- Mesh: 5 x 5 cm.
- 2.3 mm diameter wire.



Code	Model	Weight	Dimensions
192560	Folding dog trap	20.3 kg	128 x 50 x 61 cm (12 cm folds)

■ REINFORCED COLLAPSIBLE DOG TRAP

Reinforced collapsible dog trap, with single door.

- Doors closes under the pressure of the animal's weight on the tray.
- Accordion door.
- Fully mechanised system.
- Reinforced structure.
- Trap mechanism cable made of galvanised steel.
- Full epoxy paint coating.
- Mesh: 5 x 5 cm.
- 4 mm diameter wire.



Code	Model	Weight	Dimensions
192558	Reinforced collapsible dog trap	34.0 kg	128 x 65 x 65 cm

■ 2-DOOR TRAP FOR BIRDS

Fully galvanized steel bird trap with 2 doors.

- 2 carrying handles.
- Mesh: 2.5 x 5 cm.
- 2 mm diameter galvanised steel wire.



Code	Model	Weight	Dimensions
192604	Bird trap - 2 doors	6.15 kg	100 x 40 x 25 cm

■ 3-DOOR TRAP FOR BIRDS

Fully galvanized steel bird trap with 3 doors.

- 2 side doors and 1 front door.
- 2 carrying handles.
- Mesh: 3 x 13 cm.
- 2.4 mm diameter galvanised steel wire.




Code	Model	Weight	Dimensions
192602	Bird trap - 3 doors	2 kg	50 x 20 x 32 cm

■ HOLDING KENNEL WITH ONE DOOR

Holding kennel for cats in plastic coated steel wire, with top door.

- Holding grid, which is easily manoeuvrable from the outside.
- Top door for putting the animal in.
- Strong.



Code	Model	Weight	Dimensions
192610	Holding kennel with one door	3.5 kg	44 x 30 x 29 cm

■ HOLDING KENNEL WITH TWO DOORS

Holding kennel for cats in painted steel wire, with top door and side door.

- Holding grid, which is easily manoeuvrable from the outside.
- Two doors: one top door for putting the animal in and a side door for removing the animal.
- Strong.




Code	Model	Weight	Dimensions
192612	Holding kennel with two doors	3,3 kg	44 x 30 x 30 cm

■ REINFORCED TRANSPORT KENNEL

Galvanised steel reinforced transport kennel for transporting small animals.

- Perforated sheet metal that prevents scratches and bites through the kennel.
- Reliable and quick-release butterfly catch closure.
- Guillotine door. **A**
- Rubber-lined door to decrease noise caused by vibrations, and to prevent injuries.
- Rubber anti-slip pads.
- Carrying handle.
- Urine collection container.



Code	Model	Weight	Dimensions
192616	Reinforced transport kennel	3.9 kg	45 x 30 x 30 cm

■ STRAY KENNEL

Galvanised steel two-door stray kennel with side shields.

- Very sturdy, welded mesh.
- Can be locked using padlocks or another closure system.
- Guillotine doors.
- PVC side protection on both sides.
- 4 side handles for easy handling.
- Bottom of the kennel has a removable anti-slip rubber mat.



Code	Model	Weight	Dimensions
192614	Stray kennel	33.5 kg	103 x 64 x 71 cm

■ FOLDING METAL KENNELS

Galvanised steel folding metal kennel.

- Removable tray.
- Sliding handle lock.
- 2 doors for easy access: side and front.
- Carrying handle.
- Quick and easy setup.
- Mesh - 13 x 3 cm.
- 3 mm diameter galvanised steel wire.



■ WAKEFIELD FOLDING METAL KENNELS

Wakefield folding galvanised steel kennel with plastic tray.

- Removable plastic tray.
- Sliding handle lock.
- Single door.
- Quick and easy setup.
- Mesh - 8.5 x 3 cm.
- 3 mm diameter galvanised steel wire.



Code	Model	Weight	Dimensions
192622	Folding metal kennel	8 kg	55 x 63 x 61 cm (7 cm folded)
192624	Folding metal kennel	11.0 kg	54 x 76 x 61 cm (7 cm folded)
192626	Folding metal kennel	13.5 kg	58 x 88 x 67 cm (7 cm folded)
192628	Folding metal kennel	19.0 kg	68 x 107 x 75 cm (7 cm folded)
192630	Folding metal kennel	20.2 kg	76 x 122 x 84 cm (7 cm folded)

Code	Model	Weight	Dimensions
192656	Wakefield folding metal kennel	6.2 kg	62 x 46 x 50 cm



■ 5-SIDED MODULAR KENNEL

5-sided, bottomless, modular kennel coated with epoxy paint.

- Removable double-leaf door with lateral or top positioning.
- Key locking.
- 5 cm x 5 cm mesh.
- 5 mm diameter welded mesh.



Code	Weight	Dimensions
192658	39.0 kg	100 x 100 x 100 cm

■ TRANSPORT KENNEL FOR EUTHANASIA UNIT

Fully galvanized steel transport kennel for euthanasia unit.

- Allows capture and euthanasia directly without having to handle or transfer animals.
- Side entry hatch.
- Opening on top to catch birds.
- Carrying handle.
- Mesh: 2.5 x 2.5 cm.
- 2.6 mm diameter galvanised steel wire.



Code	Model	Dimensions
192600	Transport kennel for birds	76 x 41 x 34 cm

■ EUTHANASIA UNIT FOR BIRDS

Aluminium airtight housing with inspection window.

- Flow control and connecting pipe.
- Flow control to 30 litres / minute, 120 litres in 4 minutes to fill the box.
- Bottle of CO₂ not included.
- Used with the bird transport kennel (ref.192600).



Code	Model	Weight	Dimensions
192590	Euthanasia unit for birds	13 kg	90 x 52 x 36 cm
192588	Flow controller for euthanasia unit		

STANDARD VARI-KENNEL

Lightweight transport case that is very strong and particularly suited to transporting dogs, cats and other animals.

- Two superimposed parts with screw assembly.
- Welded mesh door.
- Carrying handle on the medium-sized kennel.
- Made of durable resin.
- Shockproof: withstands large stresses and strains.
- Very well ventilated.
- Beige colour.



Code	Model	Weight	Dimensions
192642	Standard Vari-Kennel: medium	5.1 kg	71 x 52 x 55 cm
192644	Standard Vari-Kennel: intermediate	5.7 kg	81 x 57 x 61 cm
192646	Standard Vari-Kennel: large	8.9 kg	91 x 64 x 69 cm
192648	Standard Vari-Kennel: extra large	9.2 kg	102 x 69 x 76 cm

VARI-KENNEL SKY KENNEL

Lightweight transport case that is very strong and particularly suited to transporting dogs, cats and other animals.

- Two superimposed parts with screw assembly.
- Reinforced 2 or 4 point lock.
- Welded mesh door and ventilation grills.
- Made of durable resin.
- Shockproof: withstands large stresses and strains.
- Very well ventilated.
- Grey colour.
- Complies with IATA standards for air transport (Air France).



Code	Model	Weight	Dimensions
192640	Sky Kennel Vari Kennel - 2 point lock	3.5 kg	53 x 41 x 38 cm
192650	Sky Kennel Vari Kennel - 4 point lock	20 kg	122 x 82 x 89 cm

STRETCHERS FOR TRANSPORTING ANIMALS

Rigid stretcher to transport injured or anaesthetised animals.

- 25 mm diameter aluminium tube frame.
- Wheels. **A**
- Carrying handles. **B**
- Securing straps.
- Durable washable vinyl canvas.



Code	Model	Weight	Dimensions
192620	Stretcher for transporting animals	4.1 kg	122 x 54 cm



■ RESTRAINING POLE FOR REPTILES

Restraining pole for reptiles, suitable for use on all surfaces.

- End loop, metallic with soft leather strap, compatible with hard ground. **A**
- V-shaped metallic end, compatible with soft ground. **B**
- 16 mm diameter aluminium tube.



Hard ground



Soft ground



Code	Model	Weight	Length
192462	Restraining pole for reptiles	435 g	115 cm

■ HOOK FOR REPTILES

Hook for catching reptiles.

- Ergonomic rubber handle.
- Strong.
- Lightweight.
- 16 mm diameter aluminium tube.
- Tapered hook end.



SPECIAL MODELS
ON DEMAND



Code	Modèle	Weight	Length
192466	Hook for reptiles	320 g	105 cm

■ TELESCOPIC HOOK FOR REPTILES

Telescopic hook for catching reptiles.

- Rubber handle.
- Lightweight.
- Adjustable length from 120 - 200 cm.
- Plastic-covered steel tube.
- Tapered hook end.



Code	Model	Weight	Length
192468	Telescopic hook for reptiles	670 g	120-200 cm

REPTILES CAPTURE SET

NEW


Multi-usage capture kit with removable accessories and hooks, suitable for capturing most species of snake.

Set content:


- 2 anodized aluminum poles 80 cm in length, comprising a quick-grip tip and an aluminum fitting for attaching the extension. These enable two hooks to be used simultaneously to obtain a better grip on the animal. **A**
- 1 anodized-aluminium extension measuring 50 cm, to be screwed. **B**
- 1 short hook suitable for small snake species. **C**
- 1 standard hook. **D**
- 1 "flat-iron" hook, ideal for constrictors. **E**
- 1 hoop tip with non-traumatic, soft-leather strap, suitable for restraining on hard floors. **F**
- 1 V-shaped metal tip, suitable for restraining on soft floors. **G**

Characteristics:

- Hooks quick and easy to change.
- Lightweight and resistant, the kit can transport reptiles up to 25 kg.
- Non-traumatic thanks to the hooks' rounded edges.
- Compact and ergonomic, the entire kit is carried in a 81 x 23 x 10 cm case. **H**



QUICK FASTENING SYSTEM



COMPATIBLE WITH A LARGE NUMBER OF SPECIES



ADAPTABLE TO ALL FLOOR TYPES

Code	Model
192467	Multi-usage reptiles capture set

ACCESSORIES

	Code	Model	Length	Use
A	192496	2 anodised aluminium poles	80 cm	-
B	192497	Extension for pole	50 cm	-
C	192490	Short hook	-	Small species
D	192491	Standard hook	-	All types
E	192493	'Flat-iron' hook	-	Constrictors
F	192494	Hooped tip with leather strap	-	Hard floors
G	192495	V-shaped metal tip	-	Soft floors
H	192080	ABS case	810 x 230 x 100 mm	-



EASILY TRANSPORTABLE

■ REINFORCED CAPTURE TONGS FOR REPTILES

Reinforced tongs for catching large reptiles.

- Moulded and polished aluminium handle and tongs.
- Very strong.
- Lightweight.
- Ergonomic handle.
- Grabber tongs for a better grip.
- 18 mm diameter aluminium tube.

On demand: cork jaw sheathing.

2 YEARS WARRANTY

Rubber coatings not covered by warranty.

Warranty is subject to proper use of the equipment. No damage should suggest an improper use of the material.

The warranty will only be applied upon receipt of the equipment and analysis of any malfunctions or damage found.



PROFESSIONAL
QUALITY



Code	Model	Weight	Length
192445	Reinforced capture tongs for reptiles	855 g	150 cm
192444	Reinforced capture tongs for reptiles	820 g	130 cm
192447	Reinforced capture tongs for reptiles	720 g	90 cm
192448	Reinforced capture tongs for reptiles	685 g	70 cm
192441	Jaws with additional rubber, including fitting	-	-



WITHOUT
RUBBER JAWS




WITH
RUBBER JAWS

■ CAPTURE TONGS FOR REPTILES

Reptile capture tongs.

- Moulded plastic handle and tongs.
- Swivel handle fitted with a lock opening button.
- Lightweight.
- 24 mm diameter aluminium tube.



ECONOMICAL
MODEL

Code	Model	Weight	Length
192460	Reptile capture tongs	500 g	90 cm



■ PROTECTIVE GLOVES FOR CATS

Protective gloves for catching cats or small animals: thick, soft, single skin leather.

- Provides protection from the forearm to the elbow.
- CE making.
- Total length 55 cm.



Code	Model	Weight	Length
192750	Protective gloves for handling small animals	445 g	55 cm

■ PROTECTIVE GLOVES FOR MONKEYS AND BIRDS OF PREY

Reinforced thick leather protective gloves for capturing and handling monkeys and birds of prey.

- Special reinforcement on top of the hand and forearm.
- CE making.
- Total length 65 cm.



Code	Model	Weight	Length
192752	Special protective gloves for monkeys and birds of prey	1.1 kg	65 cm

■ REINFORCED PROTECTIVE GLOVES

Reinforced protective gloves to capture animals.

- Soft, thick leather palms lined with fleece.
- Cuff with double layer of leather, reinforced with a fang cushion.
- Elbow open for greater comfort.
- CE making.
- Total length 65 cm.

Respect to European standards EN 420 & EN388.



Code	Model	Weight	Length
192754	Reinforced protective gloves	1.3 kg	65 cm

■ HIGH REINFORCED PROTECTIVE GLOVES

Strong reinforced protective gloves to capture aggressive animals (dogs, snakes, etc.).

- Soft, thick, triple-layer leather palms:
 - 2 layers of puncture-resistant material, in high tenacity polyester (material protecting against the risk of perforation, studied for bulletproof vests and fencing),
 - 1 cowhide leather layer.
- 40 cm pigmented crust cuff reinforced.
- Elbow open for greater comfort.
- CE making.
- Total length 65 cm.

Respect to European standards EN 420 & EN388.



Code	Model	Weight	Length
192756	High reinforced protective gloves	1.5 kg	65 cm



PROTECTIVE JACKETS

Protective jackets for dog sports.

- Protects against scratches, but not bites.
- Synthetic fabric, foam padding.
- Removable jacket sleeve for use on both the right or left arm.
- Velcro closure.
- Standard sizes.
- For use with an optional RCI sleeve.



ON REQUEST |

Code	Size
192800	48 (1.60 m to 1.70 m)
192802	50 (1.70 m to 1.75 m)
192804	52 (1.75 m to 1.82 m)
192806	54 (1.82 m to 1.86 m)
192808	56 (1.86 m to 1.90 m)

PROTECTIVE OVERALLS

Protective overalls for dog sports.

- Protects against scratches, but not bites.
- Synthetic fabric, foam padding.
- Velcro closure.
- Quick clips to adjust the size and straps.
- Internal belt system ensuring excellent support.
- Standard sizes.
- For use with an optional RCI sleeve.



ON REQUEST |

Code	Size
192830	48 (1.60 m to 1.70 m)
192832	50/52 (1.70 m to 1.82 m)
192834	54 (1.82 m to 1.86 m)
192836	56 (1.86 m to 1.90 m)

PROTECTIVE SLEEVES

Protection cuff for capturing animals. Provides effective protection for dog capture.

- Polycotton exterior and felt-lined interior.
- Protects only the forearm.
- Opening on hand for holding a pole.
- Option: a pair of wrist-length handling gloves can be added (pair of protective gloves, ref. 192762).
- EC certified.
- Personal protective equipment (PPE).



ON REQUEST |

Code	Model
192760	Protective cuff

PAIR OF PROTECTIVE GLOVES

Pair of protective gloves for safely capturing stray animals (dogs, cats, etc.).

- Handling gloves for capture or care.
- Leather gloves covered with a hard shell and thick leather.
- Ideal for capturing, holding a pole, keeping a dog on a leash, opening a kennel.



ON REQUEST |


Code	Model
192762	Pair of protective gloves

POLYCARBONATE SHIELD

Polycarbonate shield for capturing aggressive animals.

- Transparent for an unimpaired view during capture.
- Width adapted to standard doorways, allowing both passing through the door and effectively blocking passage.
- 4 mm thick polycarbonate with steel reinforced structure.
- Folding aluminium handles for easy storage.
- Aluminium foot lock to block with the foot during capture. ^A

Code	Model	Dimensions
192759	Polycarbonate shield 4 mm	140 x 80 cm



^A

ON REQUEST |



192080	15	192558	9
192348	6,7	192560	9
192400	2	192578	7
192402	2	192580	7
192404	2	192582	7
192406	2	192586	7
192408	2	192588	12
192409	3	192590	12
192422	3	192600	12
192424	3	192602	9
192440	4	192604	9
192441	16	192610	10
192442	4	192612	10
192443	4	192614	10
192444	16	192616	10
192445	16	192620	13
192447	16	192622	11
192448	16	192624	11
192460	16	192626	11
192462	14	192628	11
192466	14	192630	11
192467	15	192640	13
192468	14	192642	13
192471	5	192644	13
192472	5	192646	13
192480	5	192648	13
192490	15	192650	13
192491	15	192656	11
192493	15	192658	12
192494	15	192750	17
192495	15	192752	17
192496	15	192754	17
192497	15	192756	17
192500	6	192759	18
192502	6	192760	18
192504	5	192762	18
192506	5	192800	18
192510	6	192802	18
192512	6	192804	18
192514	6	192806	18
192516	6	192808	18
192518	6	192830	18
192520	6	192832	18
192550	8	192834	18
192552	8	192836	18
192554	8	221430	2
192556	8	221432	2
		221434	3



Génia
Parc d'Activités Le Pont Béranger
12 rue Jean-François Champollion
44680 St. Hilaire de Chaléons - France
Tél : +33 (0)2 40 03 24 17 - Fax : +33 (0)2 40 03 14 71
genia@genia.fr
www.genia.fr

génia

